



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/889,518	08/27/2001	Paul Walter Baier	449122009400	4278

25227 7590 05/01/2003
MORRISON & FOERSTER LLP
1650 TYSONS BOULEVARD
SUITE 300
MCLEAN, VA 22102

EXAMINER

TRAN, KHANH C

ART UNIT	PAPER NUMBER
----------	--------------

2631

DATE MAILED: 05/01/2003

11

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/889,518

Applicant(s)

BAIER ET AL.

Examiner

Khanh Tran

Art Unit

2631

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 February 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 8-13, 16-22 and 27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 8-13, 16-22 and 27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 10 February 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 2631

DETAILED ACTION

1. The Amendment B filed on 02/03/2003 has been entered. Claims 1-5, 8-13, 16-22 and 27 are pending in this Office action.

Response to Arguments

2. Applicant's arguments, see page 3, line 18 through page 4 of the amendment filed on 02/03/2003, with respect to the rejection(s) of claim(s) 1-5, 8-13, 16-22 and 27 have been fully considered and are persuasive under U.S.C. 102(e) and 103(a). Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Smith et al. U.S. Patent 6,009,124, Van Heeswyk et al. U.S. Patent 6,333,947 B1 and Raleigh et al. U.S. Patent 6,144,711.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-2, 17 and 27 are rejected under 35 U.S.C. 102(e) as being anticipated by Smith et al. U.S. Patent 6,009,124.

Regarding claims 1 and 27, according to the teachings of Smith invention, in column 3, lines 23-36, an interference reduction circuit, which is coupled to an adaptive sectored antenna, selectively moves the sector of coverage to alternative configurations to reduce the external interference based on interference indication signals which are the BER (bit error rate) and the RSSI (Received Signal Strength Indicator). Hence, Smith invention utilizes the interference indication signals to steer the antennas to receive and, of course, transmit data and the quality of data transmission would be improved by achieving spatial selectivity to focus on one of the users and reject signals from all other users in the environment. Figure 6 shows a high data rate communication system including base stations 602 and 604 wherein each base station employs an adaptive sectored antenna 614 or 624 and a beam steering state machine 200. Figure 8 illustrates the processing steps for a protocol between the first base station 602 and the second base station 604. In processing step 800, the first base station transmits an ID signal to a second base station. The second base station comes out of standby mode and transmits an antenna training sequence to the first base station. Hence, the first base station processes the training sequence, by using a signal-processing algorithm, to obtain quantitative information about the second base station. In processing step 808, the first base station and the second base station adaptively steer their respective arrays to achieve minimum BER and a maximum RSSI that are interference indication signals. Hence, as recited again, the quantitative information about the received

Art Unit: 2631

interference indication signals are utilized to steer the antenna and, of course, is used to generate a directional pattern for transmission at the first base station.

Regarding claim 2, the measurement of RSSI signal as taught in Smith invention should be a good estimate of the transmitted user data. Hence, the RSSI measurement could be part of the first signal-processing algorithm.

Regarding claim 17, one embodiment of Smith et al. invention is a communication between two base stations, a single user detection case.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 3-5 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith et al. U.S. Patent 6,009,124 as applied to claim 1 above, and further in view of Van Heeswyk et al. U.S. Patent 6,333,947 B1.

Regarding claim 3, Smith et al. does not explicitly provide an estimate of the characteristics of the radio channels. Nevertheless, the RSSI signal measurement inherently embeds the radio channel characteristics. As well known in the art, channel characterization is always performed at the receiver to take into account estimated channel response. Also, as demonstrated in Van Heeswyk invention, in figure 6, an

Art Unit: 2631

interference cancellation circuit 115 includes a pilot channel detection and air interface channel characterization 200 to perform an estimate of an air interface channel over which the signal components are transmitted. Although Van Heeswyk invention does not show utilization of interference information to improve the transmission quality at the receiver, Van Heeswyk teaches a method of canceling interference in CDMA signals wherein an air channel is characterized using a pilot signal. The information of channel characterization is directly related to the computation of the RSSI signal. Therefore, implementing an interference cancellation circuit as taught by Van Heeswyk into Smith et al.'s high data rate communication system for reducing interference would have been obvious to one of ordinary skill in the art.

Regarding claim 4, with the foregoing same reasons, Van Heeswyk further discloses digitized baseband pilot channel component reconstruction 202 subtracted from the delayed digitized baseband component signals 119 to recreate corrected digitized baseband component signals 207, see figure 6. Hence, Van Heeswyk teaching is considered a second signal-processing algorithm to reconstruct the user signals as stated in the claim.

Regarding claim 5, with the foregoing same reasons, Van Heeswyk further discloses, in figure 9, an amplitude weighting function 270 is used to affect the estimated amplitude for the particular path. The output of the amplitude weighting function 270 is an estimate of the particular digitized baseband pilot channel component. The result can be applied to the subtraction circuit 205 as recited in claim 4 to reconstruct the received user signals. Hence, this portion of Van Heeswyk teachings

can be considered to be part of a second signal-processing algorithm as stated in the claim.

Regarding claim 18, Van Heeswyk's invention is for multi-user system as illustrated in figure 6.

Regarding claim 19, Van Heeswyk's invention is for multi-user system employing RAKE receiver as illustrated in figure 7.

Regarding claim 20, forward error correction encoding/decoding are inherently employed in the communications system.

5. Claims 8-13, 16, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith et al. U.S. Patent 6,009,124 as applied to claim 1 above, and further in view of Raleigh et al. U.S. Patent 6,144,711.

Regarding claim 8, Smith et al. does not teach the second signal processing algorithm includes a forming of the spatial covariance matrix of the received interference signals. Nevertheless, Raleigh et al. invention is directed to a space-time signal processing system, taking advantage of multiple transmitter antenna elements and/or multiple receiver antenna elements. The system, as illustrated in figure 14, operates with an efficient combination of substantially orthogonalizing procedure (SOP) that decomposes the time domain space-time communication channel that might have intersymbol interference (ISI) into a set of parallel, space-frequency, SOP bins wherein the ISI is substantially reduced. Raleigh et al. further teaches a preferable measure of the interference present is the so-called interference spatial covariance matrix, which

Art Unit: 2631

describes interference correlation across space for each frequency bin. The forming of covariance functions can be considered to be part of the second signal-processing algorithm. Even though Raleigh et al does not show utilization of interference information to improve the transmission quality at the receiver, nevertheless, the forming of an interference spatial covariance matrix as taught by Raleigh et al. fits well in the teachings of Smith et al. for combating multi-path interference; therefore, the combination of both teachings would have been obvious to one of ordinary skill in the art.

Regarding claim 9, Raleigh et al. invention is directed to a "*space-time*" signal processing system, taking advantage of multiple transmitter antenna elements and/or multiple receiver antenna elements. Hence, the forming of covariance functions of the received interference signals is obviously both spatial and temporal. The forming of covariance functions can be considered to be part of the second signal-processing algorithm.

Regarding claim 10, the forming of covariance functions of the received interference signals obviously includes the total covariance functions of the received interference signals and the process can considered to be part of the second signal-processing algorithm.

Regarding claim 11, Raleigh et al. discloses that the interference covariance matrix contains information about the average spatial behavior of interference. It should be very well known in the art averaging is always performed over a period of time to better characterize noise or interference. Therefore, it would have been obvious that the

Art Unit: 2631

"*space-time*" signal processing system as taught by Raleigh et al. would estimate the spatial, temporal and/or total covariance functions by finite temporal averaging over the received interference signals.

Regarding claim 12, Raleigh et al. discloses forming an interference spatial covariance matrix, which describes interference correlation across space for each frequency bin. The eigenvalues of the matrix indicate the average power occupied by the interference in each the eigendirection. The eigendirections that are associated with large eigenvalues indicate spatial directions that receive a large amount of average interference power. The eigendirections that are associated with small eigenvalues indicate spatial directions that receive a less average interference power. Hence, the information in the matrix includes estimated directions of incidence of the interference.

Regarding claim 13, Raleigh et al. teaches the forming of an interference spatial covariance matrix, which describes interference correlation across space for each frequency bin. The eigen-values of the matrix indicate the average power occupied by the interference in each of the eigen-directions. Hence, the eigenvalues of the matrix indicate the estimated average power occupied by the interference in each of the eigendirection.

Regarding claim 16, since received signals are received interference signals, forming a spatial covariance matrix of interference signals is also forming a spatial covariance matrix of the received user signals. Hence, the process can be part of the first signal processing.

Regarding claim 21, Raleigh et al. discusses, column 18, lines 8-45, a zero-forcing method for determining the weighting matrix in a matrix channel in one embodiment in the invention.

Regarding claim 22, Raleigh et al. discloses, in figure 3, the output of a receiver space-frequency processor 140 fed into Decoder and Deinterleaving block 150. A preferred embodiment includes a deinterleaver, a trellis decoder or a convolutional bit map decoder employing a scalar weighted Euclidean maximum likelihood sequence detector. Hence, the first signal processing algorithm can be considered based on the maximum likelihood estimation.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh Tran whose telephone number is 703-305-2384. The examiner can normally be reached on Tuesday - Friday from 08:00 AM - 05:00 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 703-305-4378. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3800.

Application/Control Number: 09/889,518
Art Unit: 2631

Page 10

KCT
April 25, 2003


CHI PHAM
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600 4/29/03